








05.01.2012

Original light source










Alternative & energysaving lightsources

| Product | | Luminous Flux Lumen | Wattage | Socket | Product name | Brand | Lumen | Order number | Description |
|---|------------------------------|------------------------|---------------------------|--------------------------|---|---|-----------------------------|--|--|
|  Aeros | 75W QT ax-14 Clear G9 | 1050 | 60W | G9 | Halopin Eco | Osram | 980 | 945372 | Dimmable |
|  AJ Eklipta 220 | 40W QT ax-14 Mattt G9 | 490 | - | | | | | | |
| AJ Eklipta 350 | 60W A55 Matt E27 | 710 | 42W 13W 15W 60W | E27 E27 E27 E27 | AmbienComfort Classic Liliput Plus Spc. A T CL 300 & 500 | Duralamp Megaman Megaman Osram | 625 663 950 505 | GLSOP-27942 GA913i MU115i 10892 | Dimmable Not dimmable Not dimmable Dimmable |
| AJ Eklipta 450 | 100W A55 Matt E27 | 1340 | 20W 15W 15W 100W | E27 E27 E27 E27 | Softone Duluxstar Mini Ball Liliput Plus Spc. A T CL 300 & 500 | Philips Osram Megaman Osram | 1160 850 950 505 | 662590 125644 MU115i 10915 | Not dimmable Not dimmable Not dimmable Dimmable |
|  AJ Table | 60W A55 Matt E27 | 710 | 42W 12W 15W 42W | E27 E27 E27 E27 | AmbienComfort Master Duralux Goccia Goccia Halogen GLS | Duralamp Philips Duralamp Duralamp | 625 806 800 625 | GLSOP-27942 934489 1D002093 542 | Dimmable Dimmable Not dimmable Dimmable |
|  AJ Floor | 60W A55 Matt E27 | 710 | 42W 12W 15W 42W | E27 E27 E27 E27 | AmbienComfort Master Duralux Goccia Goccia Halogen GLS | Duralamp Philips Duralamp Duralamp | 625 806 800 625 | GLSOP-27942 934489 1D002093 542 | Dimmable Dimmable Not dimmable Dimmable |
|  AJ Wall | 40W D45 Matt E14 | 400 | 28W 7W 7W 28W | E14 E14 E14 E14 | AmbienComfort Duralux Mini SFERA Softlight Halogen round | Duralamp Duralamp Megaman Duralamp | 370 290 286 370 | RNDOP-14928 2103 CTO107i 1728 | Dimmable Not dimmable Not dimmable Dimmable |
|  AJ Royal Ø 370 | 100W A55 Matt E27 | 1340 | 18W 15W 100W | E27 E27 E27 | Duralux Twist Eco Liliput Plus Spc. A T CL 300 & 500 | Duralamp Megaman Osram | 1100 950 1000 | 7018 MU115i 10915 | Not dimmable Not dimmable Dimmable |
| AJ Royal Ø 500 | 1x100W A-CS60+3x100W A55 E27 | 1x1360 | 15W 15W 100W | E27 E27 E27 | Liliput Plus Duralux Short Spc. A T CL 300 & 500 | Megaman Duralamp Osram | 4x950 800 1000 | MU115i 6057 10915 | Not dimmable Not dimmable Dimmable |
|  Albertslund Ceiling | 100W A55 Matt E27 | 1340 | 23W 18W 70W 100W | E27 E27 E27 E27 | Duralux Twist Eco Softlight Goccia Halogen GLS Spc. A T CL 300 & 500 | Duralamp Megaman Duralamp Osram | 1600 900 1175 1000 | 8024 CT0318i 563 10915 | Not dimmable Not dimmable Dimmable Dimmable |

05.01.2012

Original light source

Alternative & energysaving lightsources

| Product | | Luminous Flux Lumen | Alternative & energysaving lightsources | | Product name | Brand | Lumen | Order number | Description | |
|---|-----------------------|------------------------|---|--------|--------------|-----------------------|----------|--------------|-------------|--------------|
| | | | Wattage | Socket | | | | | | |
|  | Albertslund Pendant | 100W A55 Matt E27 | 1340 | 23W | E27 | Duralux Twist Eco | Duralamp | 1600 | 8024 | Not dimmable |
| | | | | 18W | E27 | Softlight | Megaman | 900 | CT0318i | Not dimmable |
| | | | | 70W | E27 | Goccia Halogen GLS | Duralamp | 1175 | 563 | Dimmable |
| | | | | 100W | E27 | Spc. A T CL 300 & 500 | Osram | 1000 | 10915 | Dimmable |
|  | Albertslund Wall | 100W A55 Matt E27 | 1340 | 23W | E27 | Duralux Twist Eco | Duralamp | 1600 | 8024 | Not dimmable |
| | | | | 18W | E27 | Softlight | Megaman | 900 | CT0318i | Not dimmable |
| | | | | 70W | E27 | Goccia Halogen GLS | Duralamp | 1175 | 563 | Dimmable |
| | | | | 100W | E27 | Spc. A T CL 300 & 500 | Osram | 1000 | 10915 | Dimmable |
|  | Campbell 210 | 40W Reflektor R50 E14 | 410 candela | 9W | E14 | Ultra Compact Classic | Megaman | 405 | GA709i | Not dimmable |
|  | Campbell 275 | 75W Reflektor R80 E27 | 345 candela | 75W | E27 | Reflector R80 | Duralamp | | 748 | Dimmable |
| | | | | 15W | E27 | Duralux Short | Duralamp | 800 | 6057 | Not dimmable |
| | | | | 15W | E27 | Duralux Goccia | Duralamp | 800 | 1D002093 | Not dimmable |
| | | | | 15W | E27 | Liliput Plus | Megaman | 950 | MU115i | Not dimmable |
|  | Collage Floor | 100W A55 Matt E27 | 1340 | 23W | E27 | Duralux Twist Eco | Duralamp | 1600 | 8024 | Not dimmable |
| | | | | 20W | E27 | Duralux Globe | Duralamp | 1160 | 2086 | Not dimmable |
| | | | | 23W | E27 | Master PL Electronic | Philips | 1500 | 751447 | Not dimmable |
| | | | | 100W | E27 | Spc. A T CL 300 & 500 | Osram | 1000 | 10915 | Dimmable |
|  | Collage Pendant Ø 450 | 75W A55 Matt E27 | 935 | 18W | E27 | Duralux Twist Eco | Duralamp | 1100 | 7018 | Not dimmable |
| | | | | 18W | E27 | Classic | Megaman | 900 | GSU218i | Not dimmable |
| | | | | 60W | E27 | Spc. A T CL 300 & 500 | Osram | 505 | 10892 | Dimmable |
|  | Collage Pendant Ø 600 | 100W A55 Matt E27 | 1340 | 23W | E27 | Duralux Twist Eco | Duralamp | 1600 | 8024 | Not dimmable |
| | | | | 20W | E27 | Duralux Globe | Duralamp | 1160 | 2086 | Not dimmable |
| | | | | 23W | E27 | Master PL Electronic | Philips | 1500 | 751447 | Not dimmable |
| | | | | 100W | E27 | Spc. A T CL 300 & 500 | Osram | 1000 | 10915 | Dimmable |
| Collage Pendant Ø 600 | 75W | | | 23W | E27 | Duralux Twist Eco | Duralamp | 1600 | 8024 | Not dimmable |
| | | | | 20W | E27 | Duralux Globe | Duralamp | 1160 | 2086 | Not dimmable |
| | | | | 23W | E27 | Master PL Electronic | Philips | 1500 | 752079 | Not dimmable |
|  | Enigma 425 | 50W GR GU10 | 800 candela | 40W | GU10 | Halopar | Osram | | 64823ES FL | Dimmable |
|  | Enigma 545 | 75W GR GU10 | 1900 candela | - | | | | | | |

05.01.2012

Original light source

Alternative & energysaving lightsources

Product

Luminous Flux
Lumen

Wattage

Socket

Product name

Brand

Lumen

Order number

Description



Flindt 220 Floor

60W A55 Matt E27

710

42W
60W

E27
E27

AmbienComfort
Sp. A T CL 300 & 500

Duralamp
Osram

625
505

GLSOP-27942
10892

Dimmable
Dimmable



Flindt 220 Pendant

60W A55 Matt E27

710

11W
15W
60W

E27
E27
E27

Classic
Duralux Goccia
Sp. A T CL 300 & 500

Megaman
Duralamp
Osram

570
800
505

GSU111i
1D002093
10892

Not dimmable
Not dimmable
Dimmable



Flindt 475 Pendant

100W A55 Matt E27

1340

20W
23W
100W

E27
E27
E27

Liliput Plus
Master PL electronic
Sp. A T CL 300 & 500

Megaman
Philips
Osram

1300
1380
1000

MU120i
752079
10915

Not dimmable
Not dimmable
Dimmable



Homann Wall

40W D45 Matt E14

400

28W
28W
7W
11W

E14
E14
E14
E14

AmbienComfort
Halogen Round
Duralux Mini Round
Lilliput Plus

Duralamp
Duralamp
Duralamp
Megaman

370
370
290
700

RNDOP-14928
1728
2103
MU111i

Dimmable
Dimmable
Not dimmable
Not dimmable



Magasin Mini

40W D45 Clear E14

400

28W
7W
28W
28W

E14
E14
E14
E14

AmbienComfort
Duralux Mini Sfera
Halogen round
Halogen Classic

Duralamp
Duralamp
Duralamp
Osram

370
290
370
345

RNDOP-14928
2103
1728
927460

Dimmable
Not dimmable
Dimmable
Dimmable



Magasin Normal

100W A55 Clear E27

1340

70W
70W
100W

E27
E27
E27

Goccia Halogen GLS
Halogen Energy Saver
Sp. A T CL 300 & 500

Duralamp
Osram
Osram

1175
1240
1000

563
927200
10915

Not dimmable
Dimmable
Dimmable



Moser Ø 185

40W A55 Matt E27

415

28W
12W
11W
40W

E27
E27
E27
E27

AmbienComfort
Duralux mini twist
Classic
Sp. A T CL 300 & 500

Duralamp
Duralamp
Megaman
Osram

370
620
570
320

RNDOP-27928
7727
GA911i
10878

Dimmable
Not dimmable
Not dimmable
Dimmable



Moser Ø 205

40W A55 Matt E27

415

28W
12W
11W
40W

E27
E27
E27
E27

AmbienComfort
Duralux mini twist
Classic
Sp. A T CL 300 & 500

Duralamp
Duralamp
Megaman
Osram

370
620
570
320

RNDOP-27928
7727
GA911i
10878

Dimmable
Not dimmable
Not dimmable
Dimmable

Moser Ø 250

60W A55 Matt E27

710

42W
18W
23W
60W

E27
E27
E27
E27

AmbienComfort
Duralux Twist
Liliput Plus
Sp. A T CL 300 & 500

Duralamp
Duralamp
Megaman
Osram

625
1100
1500
505

GLSOP-27942
7018
MU123i
10892

Dimmable
Not dimmable
Not dimmable
Dimmable

05.01.2012

Original light source

Alternative & energysaving lightsources

Product

Luminous Flux
Lumen

Wattage

Socket










Product name

Brand

Lumen

Order number










Description

| | | | | | | | | | | |
|---|-----------------|-------------------|------|------|-----|------------------------|----------|------|-------------|--------------|
|  | Munkegaard 265 | 60W A55 Clear E27 | 710 | 42W | E27 | AmbienComfort | Duralamp | 625 | GLSOP-27942 | Dimmable |
| | | | | 15W | E27 | Duluxstar Mini Ball | Osram | 850 | 125644 | Not dimmable |
| | | | | 15W | E27 | Liliput Plus | Megaman | 950 | MU115i | Not dimmable |
| | | | | 60W | E27 | Sp. A T CL 300 & 500 | Osram | 505 | 10892 | Dimmable |
|  | Nyhavn Pendant | 100W A55 Matt E27 | 1340 | 15W | E27 | Duralux Goccia | Duralamp | 800 | 1D002093 | Not dimmable |
| | | | | 18W | E27 | Softlight | Megaman | 900 | CT0318i | Not dimmable |
| | | | | 70W | E27 | Goccia Halogen GLS | Duralamp | 1175 | 563 | Dimmable |
| | | | | 100W | E27 | Sp. A T CL 300 & 500 | Osram | 1000 | 10915 | Dimmable |
|  | Nyhavn Wall | 100W A55 Matt E27 | 1340 | 15W | E27 | Duralux Goccia | Duralamp | 800 | 1D002093 | Not dimmable |
| | | | | 18W | E27 | Softlight | Megaman | 900 | CT0318i | Not dimmable |
| | | | | 70W | E27 | Goccia Halogen GLS | Duralamp | 1175 | 563 | Dimmable |
| | | | | 100W | E27 | Sp. A T CL 300 & 500 | Osram | 1000 | 10915 | Dimmable |
|  | OJ Table | 42W QD45 E14 | | 12W | E14 | Duralux Mini Twist Eco | Duralamp | 620 | 7427 | Not dimmable |
| | | | | 42W | E14 | Halo Round | Duralamp | 625 | 1729 | Dimmable |
| | | | | 42W | E14 | Halogen Classic | Osram | 630 | 927484 | Dimmable |
|  | OJ Floor | 42W QD45 E14 | | 11W | E14 | Duralux Twist Eco | Duralamp | 600 | 7005 | Not dimmable |
| | | | | 42W | E14 | Halo Round | Duralamp | 625 | 1729 | Dimmable |
| | | | | 42W | E14 | Halogen Classic | Osram | 630 | 927484 | Dimmable |
|  | OJ Wall | 18W QD45 E14 | | 7W | E14 | Duralux Mini Twist Eco | Duralamp | 380 | 7227 | Not dimmable |
| | | | | 18W | E14 | Halogen Round | Duralamp | 170 | 1718 | Dimmable |
| | | | | 18W | E14 | Halogen Classic | Osram | 220 | 927446 | Dimmable |
|  | Warehouse | 75W A55 Clear E27 | 935 | 42W | E27 | Goccia Halogen | Duralamp | 625 | 542 | Dimmable |
| | | | | 18W | E27 | Softlight | Megaman | 900 | CT0318i | Not dimmable |
|  | Panthella Table | 75W A55 Matt E27 | 935 | 18W | E27 | Duralux Twist Eco | Duralamp | 1100 | 7018 | Not dimmable |
| | | | | 12W | E27 | Master | Philips | 806 | 934489 | Dimmable |
| | | | | 15W | E27 | Duralux Goccia | Duralamp | 800 | 1D002093 | Not dimmable |
| | | | | 15W | E27 | Softlight | Megaman | 650 | CT0215i | Not dimmable |
| | | | | 16W | E27 | T60 Softone | Philips | 870 | 662583 | Not dimmable |
|  | Panthella Floor | 150W A65 Matt E27 | 2160 | 27W | E27 | Superduralux Twist | Duralamp | 1800 | 0256S | Not dimmable |
| | | | | 23W | E27 | Liliput Plus | Megaman | 1500 | MU123i | Not dimmable |

05.01.2012

Original light source

Alternative & energysaving lightsources

| Product | | Luminous Flux Lumen | Alternative & energysaving lightsources | | | Brand | Lumen | Order number | Description | |
|---|---------------------------------|------------------------|---|--------|--------------|--------------------|----------|--------------|-------------|--------------|
| | | | Wattage | Socket | Product name | | | | | |
|  | PH 2/1 Table Kip Old version | 40W D45 Matt E14 | 400 | 28W | E14 | AmbienComfort | Duralamp | 370 | RNDOP-14928 | Dimmable |
| | | | | 7W | E14 | Duralux Mini Sfera | Duralamp | 290 | 2103 | Not dimmable |
| | | | | 7W | E14 | Duralux Mini Twist | Duralamp | 380 | LP0714T | Not dimmable |
| | | | | 7W | E14 | PingPong | Megaman | 286 | GA807i | Not dimmable |
|  | PH 2/1 Table - NEW | | | 28W | G9 | Halogen | Duralamp | 370 | 1D1902CH | Dimmable |
| | | | | 33W | G9 | Halogen | Osram | 460 | 208668 | Dimmable |
|  | PH 2/1 Pendant | 40W D45 Matt E14 | 400 | 28W | E14 | AmbienComfort | Duralamp | 370 | RNDOP-14928 | Dimmable |
| | | | | 7W | E14 | Duralux Mini Sfera | Duralamp | 290 | 2103 | Not dimmable |
| | | | | 7W | E14 | Duralux Mini Twist | Duralamp | 380 | LP0714T | Not dimmable |
| | | | | 7W | E14 | PingPong | Megaman | 286 | GA807i | Not dimmable |
|  | PH 2/1 Stem Fitting | 40W D45 Matt E14 | 400 | 28W | E14 | AmbienComfort | Duralamp | 370 | RNDOP-14928 | Dimmable |
| | | | | 7W | E14 | Duralux Mini Sfera | Duralamp | 290 | 2103 | Not dimmable |
| | | | | 7W | E14 | Duralux Mini Twist | Duralamp | 380 | LP0714T | Not dimmable |
| | | | | 7W | E14 | PingPong | Megaman | 286 | GA807i | Not dimmable |
|  | PH 2/1 Wall | 40W D45 Matt E14 | 400 | 28W | E14 | AmbienComfort | Duralamp | 370 | RNDOP-14928 | Dimmable |
| | | | | 7W | E14 | Duralux Mini Sfera | Duralamp | 290 | 2103 | Not dimmable |
| | | | | 7W | E14 | Duralux Mini Twist | Duralamp | 380 | LP0714T | Not dimmable |
| | | | | 7W | E14 | PingPong | Megaman | 286 | GA807i | Not dimmable |
|  | PH 3/2 Academy | 3x40W D45 Matt E14 | 3x400 | 28W | E14 | AmbienComfort | Duralamp | 370 | RNDOP-14928 | Dimmable |
| | | | | 7W | E14 | Duralux Mini Sfera | Duralamp | 290 | 2103 | Not dimmable |
| | | | | 7W | E14 | PingPong | Megaman | 286 | GA807i | Not dimmable |
|  | PH 3/2 Table | 40W D45 Matt E14 | 400 | 28W | E14 | AmbienComfort | Duralamp | 370 | RNDOP-14928 | Dimmable |
| | | | | 7W | E14 | Duralux Mini Sfera | Duralamp | 290 | 2103 | Not dimmable |
| | | | | 7W | E14 | PingPong | Megaman | 286 | GA807i | Not dimmable |
|  | PH 3/2 Pendant | 75W A55 Matt E27 | 935 | 42W | E27 | AmbienComfort | Duralamp | 625 | GLSOP-27942 | Dimmable |
| | | | | 15W | E27 | Duralux Goccia | Duralamp | 800 | 1D002093 | Not dimmable |
| | | | | 13W | E27 | Classic | Megaman | 663 | GA913i | Not dimmable |
|  | PH 3/2 Wall | 40W D45 Matt E14 | 400 | 28W | E14 | AmbienComfort | Duralamp | 370 | RNDOP-14928 | Dimmable |
| | | | | 7W | E14 | Duralux Mini Sfera | Duralamp | 290 | 2103 | Not dimmable |
| | | | | 7W | E14 | PingPong | Megaman | 286 | GA807i | Not dimmable |

05.01.2012

Original light source

Alternative & energysaving lightsources

Product

Luminous Flux
Lumen

Wattage

Socket

Product name

Brand

Lumen

Order number

Description



| | | | | | | | | | |
|-----------------|------------------|-----|-----|-----|-----------------------|----------|-----|-------------|--------------|
| PH 3-2½ Bollard | 60W A55 Matt E27 | 710 | 13W | E27 | Classic | Megaman | 663 | GA913i | Not dimmable |
| | | | 15W | E27 | Duralux Goccia | Duralamp | 800 | 1D002093 | Not dimmable |
| | | | 42W | E27 | AmbienComfort | Duralamp | 625 | GLSOP-27942 | Dimmable |
| | | | 42W | E27 | Goccia Halogen GLS | Duralamp | 625 | 542 | Dimmable |
| | | | 60W | E27 | Spc. A T CL 300 & 500 | Osram | 505 | 10892 | Dimmable |



| | | | | | | | | | |
|--------------|------------------|-----|-----|-----|-----------------------|----------|-----|-------------|--------------|
| PH 3-2½ Wall | 60W A55 Matt E27 | 710 | 13W | E27 | Classic | Megaman | 663 | GA913i | Not dimmable |
| | | | 15W | E27 | Duralux Goccia | Duralamp | 800 | 1D002093 | Not dimmable |
| | | | 42W | E27 | AmbienComfort | Duralamp | 625 | GLSOP-27942 | Dimmable |
| | | | 42W | E27 | Goccia Halogen GLS | Duralamp | 625 | 542 | Dimmable |
| | | | 60W | E27 | Spc. A T CL 300 & 500 | Osram | 505 | 10892 | Dimmable |



| | | | | | | | | | |
|----------------|-------------------|------|------|-----|-----------------------|---------|------|---------|--------------|
| PH 3½-2½ Floor | 100W A55 Matt E27 | 1340 | 100W | E27 | Spc. A T CL 300 & 500 | Osram | 1000 | 10915 | Dimmable |
| | | | 18W | E27 | Softlight | Megaman | 900 | CT0318i | Not dimmable |



| | | | | | | | | | |
|--------------|-------------------|------|------|-----|-----------------------|----------|------|--------|--------------|
| PH 4/3 Table | 100W A55 Matt E27 | 1340 | 23W | E27 | Duralux Twist Eco | Duralamp | 1600 | 8024 | Not dimmable |
| | | | 20W | E27 | Liliput Plus | Megaman | 1300 | MU120i | Not dimmable |
| | | | 100W | E27 | Spc. A T CL 300 & 500 | Osram | 1000 | 10915 | Dimmable |



| | | | | | | | | | |
|----------------|-------------------|------|------|-----|-----------------------|----------|------|--------|--------------|
| PH 4/3 Pendant | 100W A55 Matt E27 | 1340 | 23W | E27 | Duralux Twist Eco | Duralamp | 1600 | 8024 | Not dimmable |
| | | | 20W | E27 | Liliput Plus | Megaman | 1300 | MU120i | Not dimmable |
| | | | 100W | E27 | Spc. A T CL 300 & 500 | Osram | 1000 | 10915 | Dimmable |



| | | | | | | | | | |
|----------------------|-------------------|------|-----|-----|-------------------|----------|------|--------|--------------|
| PH 4½-3½ Glass Floor | 150W A65 Matt E27 | 2160 | 23W | E27 | Duralux Twist Eco | Duralamp | 1600 | 8024 | Not dimmable |
| | | | 23W | E27 | Liliput Plus | Megaman | 1500 | MU123i | Not dimmable |



| | | | | | | | | | |
|----------------------|-------------------|------|-----|-----|-------------------|----------|------|--------|--------------|
| PH 4½-3½ Glass Table | 150W A65 Matt E27 | 2160 | 23W | E27 | Duralux Twist Eco | Duralamp | 1600 | 8024 | Not dimmable |
| | | | 23W | E27 | Liliput Plus | Megaman | 1500 | MU123i | Not dimmable |



| | | | | | | | | | |
|-----------------------|-------------------|------|-----|-----|-------------------|----------|------|--------|--------------|
| PH 4½-4 Glass Pendant | 150W A65 Matt E27 | 2160 | 23W | E27 | Duralux Twist Eco | Duralamp | 1600 | 8024 | Not dimmable |
| | | | 23W | E27 | Liliput Plus | Megaman | 1500 | MU123i | Not dimmable |



| | | | | | | | | | |
|-------------|-------------------|------|--|--|--|--|--|--|--|
| PH5 Pendant | 200W A80 Matt E27 | 3040 | | | | | | | |
|-------------|-------------------|------|--|--|--|--|--|--|--|



| | | | | | | | | | |
|---------------------------|-------------------|------|------|-----|-----------------------|----------|------|--------|--------------|
| PH5 Pendant - Old version | Max. 100W A55 E27 | 1340 | 20W | E27 | Liliput Plus | Megaman | 1300 | MU120i | Not dimmable |
| | | | 23W | E27 | Duralux Twist Eco | Duralamp | 1600 | 8024 | Not dimmable |
| | | | 100W | E27 | Spc. A T CL 300 & 500 | Osram | 1000 | 10915 | Dimmable |

05.01.2012

Original light source

Alternative & energysaving lightsources

Product

Luminous Flux
Lumen

Wattage

Socket

Product name

Brand

Lumen

Order number

Description



PH 5 PLUS & PH 50

200W A80 Matt E27/ 23W TC-TSE

3040

35W
23W

E27
E27

Superduralux Twist
Master PL-Electronic

Duralamp
Philips

2300
1500

3527s
751447

Not dimmable
Not dimmable



PH 5-4½

200W A80 Clear E17

3045

35W
30W

E27
E27

Superduralux Twist
Liliput Plus

Duralamp
Megaman

2300
2000

3527S
MU130i

Not dimmable
Not dimmable



PH 80 Floor

100W A55 Matt E27

1340

23W
18W
100W

E27
E27
E27

Duralux Twist Eco
Classic
Spc. A T CL 300 & 500

Duralamp
Megaman
Osram

1600
900
1000

8024
GSU218i
10915

Not dimmable
Not dimmable
Dimmable



P-Hat Ø 225

40W D45 Matt E14

400

28W
7W
7W
7W
28W

E14
E14
E14
E14
E14

AmbienComfort
Duralux Mini SFERA
PingPong
Softlight
Halogen round

Duralamp
Duralamp
Megaman
Megaman
Duralamp

370
290
286
286
370

RNDOP-14928
2103
GA807i
CT0107i
1728

Dimmable
Not dimmable
Not dimmable
Not dimmable
Dimmable



PH Artichoke Ø 480

200W A80 Clear E27

3045

35W
30W
40W
200W

E27
E27
E27
E27

Superduralux Twist
Liliput Plus
Clusterlite 2700K
Spc. A T CL 300 & 500

Duralamp
Megaman
Megaman
Osram

2300
2000
2680
2500

3527S
MU130i
HC1040i
12971

Not dimmable
Not dimmable
Not dimmable
Dimmable

PH Artichoke Ø 600

500W A110 Clear E40

8400

80W
300W
500W

E40
E40
E40

Clusterlite 3000K
Spc. A T CL 300 & 500
Spc. A T CL 300 & 500

Megaman
Osram
Osram

5400
4600
8400

HC01080 i
12933
13176

Not dimmable
Dimmable
Dimmable

PH Artichoke Ø 720-840

500W A110 Clear E40

8400

75W
100W
300W
500W

E40
E40
E40
E40

Tornado High Lumen 827
Clusterlite 3000K
Spc. A T CL 300 & 500
Spc. A T CL 300 & 500

Philips
Megaman
Osram
Osram

5550
6700
4600
8400

808322
HC01100 i
12933
13176

Not dimmable
Not dimmable
Dimmable
Dimmable



PH Louvre

500W A110 Clear E40

8400

75W
100W
300W
500W

E40
E40
E40
E40

Tornado High Lumen 827
Clusterlite 3000K
Spc. A T CL 300 & 500
Spc. A T CL 300 & 500

Philips
Megaman
Osram
Osram

5550
6700
4600
8400

808322
HC01100 i
12933
13176

Not dimmable
Not dimmable
Dimmable
Dimmable



PH Snowball

300W A80 Clear E27

5000

30W
35W
175W
205W

E27
E27
E27
E27

Liliput Plus
Super Duralux
Tubolare JDD
Halolux Ceram Eco

Megaman
Duralamp
Duralamp
Osram

2000
2300
3420
4200










MU130i
3527S
1917-PHES
393883

Not dimmable
Not dimmable
Dimmable
Dimmable

05.01.2012

Original light source

Alternative & energysaving lightsources

| Product | | Luminous Flux Lumen | Wattage | Socket | Product name | Brand | Lumen | Order number | Description | |
|---|---------------------------|---|--------------------|--------|------------------------|-------------------------|----------|--------------|--------------|--------------|
|  | PH Wall | 100W A55 Matt E27 | 1340 | 20W | E27 | Liliput Plus | Megaman | 1300 | MU120i | Not dimmable |
| | | | | 20W | E27 | Softone | Philips | 1160 | 662590 | Not dimmable |
| | | | | 100W | E27 | Sp. A T CL 300 & 500 | Osram | 1000 | 10915 | Dimmable |
|  | Wohlerl Ø 250 | 200W A80 Matt E27 | 3040 | 23W | E27 | Liliput Plus | Megaman | 1500 | MU123i | Not dimmable |
| | Wohlerl Ø 300 | 200W A80 Matt E27 | 3040 | 27W | E27 | Master PL-Electronic | Philips | 1800 | 543851 | Not dimmable |
| | | | | 35W | E27 | Super Duralux | Duralamp | 2300 | 35275 | Not dimmable |
| | Wohlerl Ø 350 | 200W A80 Matt E27 | 3040 | 27W | E27 | Master PL-Electronic | Philips | 2250 | 543851 | Not dimmable |
| 35W | | | | E27 | Super Duralux | Duralamp | 2300 | 35275 | Not dimmable | |
| Wohlerl Ø 400 | 200W A80 Matt E27 | 3040 | 45W | E27 | Super Duralux | Duralamp | 3100 | 45275 | Not dimmable | |
| | | | 42W | E27 | Tornado High Lumen 827 | Philips | 3100 | 808223 | Not dimmable | |
|  | Saturn Wall | 2x100W A55 Clear E27 | 2X1340 | 70W | E27 | Goccia Halogen GLS | Duralamp | 1175 | 563 | Dimmable |
| | | | | 70W | E27 | Halogen Classic | Osram | 1240 | 927200 | Dimmable |
| | | | | 18W | E27 | Classic | Megaman | 900 | CT0318i | Not dimmable |
| | | | | 100W | E27 | Sp. A T CL 300 & 500 | Osram | 1000 | 10915 | Dimmable |
|  | Snow | 1x40W Reflektor R50 E14 +1x60W Globe G95 E27 | 410 candela 600 | 28W | E14 | Halogen Energy Sav. R50 | Osram | 410 candela | 322315 | Halogen spot |
| | | | | 23W | E27 | DorS dæmpbar Globe | Megaman | 1371 | GSU423s | Dimmable |
|  | Toldbod 120 Pendant | 40W QT ax-14 Matt G9 | 490 | 28W | G9 | Bipin G9 | Duralamp | 370 | 1D1902CH | Dimmable |
| | | | | 33W | G9 | Halopin Energy Saver | Osram | 460 | 66733 | Dimmable |
|  | Toldbod 155 Bollard | 40W D45 Matt E14 | 400 | 28W | E14 | AmbienComfort | Duralamp | 370 | Rndop-14928 | Dimmable |
| | | | | 7W | E14 | Duralux Mini Eco | Duralamp | 380 | 8127 | Not dimmable |
| | | | | 11W | E14 | Liliput Plus | Megaman | 700 | MU111i | Not dimmabl |
| | | | | 28W | E14 | Sfera Halogen Round | Duralamp | 370 | 1728 | Dimmable |
|  | Toldbod 155 Wall | 40W D45 Matt E14 | 400 | 28W | E14 | AmbienComfort | Duralamp | 370 | Rndop-14928 | Dimmable |
| | | | | 7W | E14 | Duralux Mini Eco | Duralamp | 380 | 8127 | Not dimmable |
| | | | | 11W | E14 | Liliput Plus | Megaman | 700 | MU111i | Not dimmable |
| | | | | 28W | E14 | Sfera Halogen Round | Duralamp | 370 | 1728 | Dimmable |
|  | Toldbod 155 Glass Pendant | 40W QT ax-14 Matt G9 | 490 | 40W | G9 | Bipin G9 Clear | Duralamp | 410 | 1D1901CH | Dimmable |
|  | Toldbod 220 Glass Pendant | 60W QT ax-14 Matt G9 | 820 | 60W | G9 | Bipin G9 Clear | Duralamp | 700 | 1D1906CH | Dimmable |